

Sea monster beached at Rockaway, 1951

Description

globsterblobsa Introduction

Rockaway Beach is a city in Tillamook County in the West coast state of Oregon, USA. In July 1951 a â??sea monsterâ? washed up here on the shore of the Pacific Ocean, just opposite to Twin Rock. Seemingly only one newspaper-article was published in local press, which provided no positive identification of the creature. The history of this â??overlookedâ?• sea monster will be examined from this source as well as from the remembrance of family accounts of Mr William Browne and Mr Don R. Best. The identity of the creature will be explained from a private photography of Mr Best, published online in December 2017.

History in literature



Fig. 1. Rockaway Beach with Twin Rock in the background (Duke, 2010. Retrieved from https://www.flickr.com/photos/elisfanclub/4774687693/. Used under license cc-by-sa/2.0)

An account about the finding of a a??a??Sea Monstera?? Beached at Rockawaya?• was published in the regional newspaper â??The Oregonianâ??, while in the second local newspaper, the â??Headlight Heraldâ?•, no mention of this case was found (Reference Desk Tillamook County Library, personal communication, December 9, 2017):

â??An unidentified â??sea monsterâ?? washed up on the beach at Rockaway Friday evening. Creature is estimated 18 feet in length with wide body, thick hair, tail, fingerlike protrusions which may serve as flippers, long neck and

horselike skull. Seagulls are rapidly picking body. Mrs. Howard Brown[e], Portland, stands beside body in this photo taken by her husbandâ?? (â??Sea Monsterâ?• Beached at Rockaway, 1951).

Most probably through a press-agency, the â??sea monster season [which] has opened at Rockawayâ?• got attention also in other states like California or Nebraska: â??Residents professed wonderment over an unidentified creature the remains of which have been washed onto the beach at the seashore town. Its length is estimated at 18 feet. The body is wide, with thick hair, a tail and protrusions which may be flippers, a long neck and a horse-like skull.â?• (Rockaway has its monster again, 1951; Sea monster washes ashore, 1951).

Beside this there is no mention of this case in other relevant â??sea monsterâ?• literature like for example Dinsdale (1966), Heuvelmans (1968) or Newton (2012).

Eyewitness and photographic evidence

After an inquiry to the Tillamook County Pioneer Museum a contact was established to Mr William Browne, the son of the eyewitnesses Virginia and Howard Browne:

â?? My mother and father came across a Dead Sea creature in 1951 on the beach in Rockaway Beach, Oregon USA. They sent a photo to The Oregonian newspaper which was published. They also contacted one of the Universities to have them send someone to investigate it, unfortunately the city dug a deep hole and buried it before they came down. The city didnâ??t want the publicity. A young lad, Don Best who also lives in Rockaway to this day has a photo of him when he was eight years old standing next to it. He remembers it. [â?\] I remember my parentâ??s account of the story very vividly. Oh, one more thing. An old Marine Biologist once told me it was a throwback from prehistoric times. She said there are deep underwater caves off Tillamook, Oregon where unknown creatures still thrive. When they die they sometimes wash up.â?• (William Browne, personal communication, December 27, 2017).

Mrs and Mr Browne kept an original newspaper-clip of the Oregonianâ??s article. But despite the relatively good (newspaper-) quality of the photo, there are no detailed anatomical parts to acknowledge safely due to the state of decomposition of the creature. Tentatively the long neck, the head or skull, a large bone as well as the elongated body-shape in general can be recognized. The estimated size of 18 feet seems legit in comparison to Mrs Browne.




Fig. 2. Picture of the newspaper-article published in The Oregonian (William Browne, personal communication, December 27, 2017. Courtesy of William Browne).

A high quality photograph which was taken from the father of Mr Don Best (personal communication, May 5, 2018) was shared through him at Facebook in the Rockaway Coast Community & Surrounding Areas On The Tillamook Coast-Group (Best, 2017).



Fig. 3. The a??sea monstera?• with young Don Best (age 6-8) in the background at Rockaway Beach (Best, 2017. Courtesy of Don Best Photography).

Due to the state of degree of the cadaver, the photo obviously was taken some time before the Browne photograph. The overall scene shows a heavily decomposed animal carcass on Rockaway Beach, near to Saltaire Creek (Best, 2017) with Twin Rocks in the background. The young Don Best stands on a branch beside the carcass. The picture was taken from the anterior end, so the posterior end canâ??t be acknowledged in detail. The body is positioned in bow-form, partially free from tissue with blank bones visible. Anteriorly thereâ??s a small head, resembling superficially a crocodileâ??s head, with a long neck followed by a bulky middle part. Posteriorly it tapers to the tail, which for the most part is concealed. On the end of the branch, approximately in the middle of the animalâ??s dorsal side, there is a triangular form what seems to be the dorsal fin, while no other fins can be clearly noticed. Below neck and head are some â?? mostly unattached â?? bones.

The identification as basking shark (*Cetorhinus maximus*) can be deduced from this photograph. Subsequent anatomical description and terminology of the cartilaginous skeleton is derived from Compagno (1990), Izawa & Shibata (1993), Fairfax (1998), Hamlet (1999), Iuliis & Pulerà (2007) and Klimley (2013) and is visualized in Fig. 4 and 5.




Fig. 4. Wax-model of a basking shark in British Museum with added anatomical terminology used in text (â??A Canadian â??monsterâ??â?•, 1934. Courtesy of the Mary Evans Picture Library).

Chondrocranium:

The head is largely still covered from tissue and only partially exposes the chondrocranium. Superficially resembling a crocodileâ??s head in dorsal view, in fact the photo shows the ventral side. The prominent right and the anticipated left hole, situated approximately in the middle of the head, can be identified as ventral openings of the nasal capsules. Posterior the right orbit and its frame of supraorbital crest (dorsal) and suborbital shelf (ventral) are evident.

Vertebrae and vertebral column:

The long neck is part of the vertebral column which, in nearly the complete length, is also still covered largely from tissue:. The rounded shape of the vertebral column demonstrates that no significant transvers- or spinal processes like in other vertebrates exist: in general shark vertebra constitute of the vertebral centra, a cone-shaped disk with growth rings, to which the basidorsal cartilage of the neural arch (housing the spinal nerve) above and paired basiventral cartilage below the centrum is attached. Connected with interdorsal and \hat{a} ? ventral cartilage between basidorsal and \hat{a} ? ventral cartilage as well as a soft notochordal sheath between each vertebral centra, they form the vertebral column running from the chondrocranium into the upper dorsal lobe of the caudal fin.

Splachnocranium:

Most parts of the splachnocranium (consisting of the mandibular arch, hyoid arch, branchial archs and -rays) are vanished, in result just leaving the chondrocranium and the vertebral column up to the pectoral girdle. Below the vertebral column several unattached bones remained, including most prominent three bones of the mandibular arch (Palatoquadrate and Meckelâ??s cartilage).



ns = nostril; bp = basal plate; mc = Mackerel's cartilage; o = orbit; pq = palatoquadrate; sc = supraorbital crest; ss = suborbital shelf

Fig. 5. Chondro- and rests of splachnocranium with added anatomical details used in text (Best, 2017. Courtesy of Don Best Photography).

Fins, â??Hairâ?• etc.:

At the end of the branch the young Don Best stands, the dorsal fin is acknowledgeable. At a heighten part, just behind the location of the pectoral girdle, tentatively the left pectoral fin can be seen â?? albeit this remains speculative due to the grade of decomposition and quality of the photo. Those circumstances are also the reasons which donâ??t allow pointing to much more details regarding the rest of the body. Speculation must remain what was described as â??thick hairâ?•, probably the resemblance of the ceratotrichia of the fins or broken up tissue in general has led to this comparison. The â??fingerlike protrusions which may serve as flippersâ?• point to a structure at or near the fins and so maybe described the radials of the pectoral and/or pelvic fins.

The presented evidence in summary, especially the anatomy in general and the typical unique taphonomical situation as well as the distinctive bones of the mandibular arch, identifies the Rockaway Beach â??sea monsterâ?• definitively as basking shark (*Cetorhinus maximus*).

Acknowledgements

Thanks to William Browne for sharing his knowledge about the case and the collected newspaper-clip, Don Best for his remembrance and the license of the photograph, Susan Luce of Rockaway Branch Library for her help with further contacts, the Reference Desk of the Tillamook County Library for their search through the local newspapers and the unknown acquaintance of William Browne which brought us in communication.

References

A Canadian â??monsterâ?•: sea cow, basking shark, or â??Cadborosaurusâ?•? [Bild] (1934, December 15). The Illustrated London News.

Best, D. (December 5, 2017). Retrieved from https://www.facebook.com/photo.php?fbid=10212070130321527.

Compagno, L. (1990). Relationships of the megamouth shark, Megachasma pelagios (Lamniformes, Megachasmidae), with comments on its feeding habits. In Pratt, H. et al. (Ed.) *Elasmobranchs* as *living resources*: *advances* in the *biology*, *ecology*, *systematics* and the *status* of the *fishery*. NOAA Technical Report NMFS 90.

Dinsdale, T. (1966). The Leviathans. London: Routledge & Kegan Paul.

Duke, Eli. (July 7, 2010). Oregon: Ingridâ??s 30th Birthday on the Coast. [Image]. Retrieved from https://www.flickr.com/photos/elisfanclub/4774687693/. Used under license cc-by-sa/2.0.

Fairfax D. (1998). The basking shark in Scotland. East Linton: Tuckwell Press.

Hamlett, William C. ed. (1999). Sharks, Skates, and Rays: the Biology of Elasmobranch fishes. Baltimore: Johns Hopkins University Press.

Heuvelmans, B. (1968). In the Wake of the Sea-Serpents. New York: Hill and Wang.

Iuliis, G. & PulerÃ, D. (2007). The Dissection of Vertebrates: a laboratory manual. Amsterdam: Elsevier

Izawa, K. & Shibata, T. (1993). A young basking shark, Cetorhinus maximus, from Japan. *Japanese Journal of Ichthyology*, 40 (no. 2): 237-245.

Klimley, A. (2013). The Biology of Sharks and Rays. London: The University of Chicago Press.

Newton, Michael. (2012). Globsters. Woolserey: CFZ Press.

Rockaway has its monster again. (July 12, 1951). Daily Tribune.

â??Sea Monsterâ?• beached at Rockaway. (July 10, 1951). The Oregonian.

Sea monster washes ashore on Ore. Beach. (July 10, 1951). Stockton Daily Evening Record.